

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20030004853"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:18
S2	2	S1 and ((front adj1 end) or front-end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:19
S3	1	S1 and (((front adj1 end) or front-end)near5 application)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:55
S4	2	"6766304".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:47
S5	0	S1 and (((back adj1 end) or back-end)near5 service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:55
S6	0	S1 and (((back adj1 end) or back-end)with service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:55
S7	0	S1 and (((back adj1 end) or back-end)same service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 10:55

EAST Search History

S8	1	S1 and (((back adj1 end) or back-end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:20
S9	11	(((back adj1 end) or back-end) with (abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:26
S10	23	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:26
S11	18	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:00
S12	2	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service) same ((back adj1 end) or back-end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:31
S13	2	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service) same ((back adj1 end) or back-end)same ((front adj1 end) or front-end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:28
S14	2	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service) and (((back adj1 end) or back-end)with((front adj1 end) or front-end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:29

EAST Search History

S15	2	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service) and (((back adj1 end) or back-end)and ((front adj1 end) or front-end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:29
S16	2	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service) and ((back adj1 end) or back-end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:31
S17	13	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))with (application\$3 or service) and ((business or trad\$3 or securit\$3) near5 (application or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:32
S18	23	((decoupl\$3 or de-coupl\$3) with (abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:18
S19	19	((decoupl\$3 or de-coupl\$3) near5(abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:12
S20	2	"20050055700"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:12
S21	23	((decoupl\$3 or de-coupl\$3 or hif\$3) with (abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:18

EAST Search History

S22	216	((decoupl\$3 or de-coupl\$3 or hid\$3) with (abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:18
S23	156	((decoupl\$3 or de-coupl\$3 or hid\$3) near5 (abstract\$3 adj1 layer))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:20
S24	75	((decoupl\$3 or de-coupl\$3 or hid\$3) near5 (abstract\$3 adj1 layer)) with (software or application or service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:20
S25	156	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:21
S26	75	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3))with (software or application or service)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:21
S27	3	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3))with ((business or trad\$3 or provid\$3) near5 (software or application or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:22
S28	15	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3)) same ((business or trad\$3 or provid\$3) near5 (software or application or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:22

EAST Search History

S29	1	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3)) same ((business or trad\$3 or provid\$3) near5 (software or application or service)) and (single near5 sign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:23
S30	13	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3)) and ((business or trad\$3 or provid\$3) near5 (software or application or service)) and (single near5 sign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:23
S31	13	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3)) and ((business or trad\$3 or provid\$3) near5 (software or application or service)) and (single near5 sign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:49
S32	156	((abstract\$3 adj1 layer) near5 (decoupl\$3 or de-coupl\$3 or hid\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:57
S33	283	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:58
S34	57	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 12:59
S35	2	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service)) same authenticat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:05

EAST Search History

S36	13	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service)) and (single adj3 sign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:02
S37	13	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service)) and (single adj3 sign\$3) and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:04
S38	13	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service)) and (single adj3 sign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:04
S39	57	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:05
S40	13	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (decoupl\$3 or de-coupl\$3 or hid\$3) near5 (software or application or service)) and (single near5 sign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:06
S41	11	((abstract\$3 or middle) adj1 (layer or tier) or middleware) near5 (single near5 sign\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:06
S42	13	((abstract\$3 or middle) adj1 (layer or tier) or middleware) with (single near5 sign\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:07

EAST Search History

S43	4	((abstract\$3 or middle) adj1 (layer or tier) or middleware) with (single near5 sign\$3)) and error	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 13:07
S44	9	((abstract\$3 or middle) adj1 (layer or tier) or middleware) with (single near5 sign\$3) with (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:30
S45	9	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (single near5 sign\$3) with (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:30
S46	10	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (single near5 sign\$3) same (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:12
S47	39	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:13
S48	2	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software)) same (front-end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:21
S49	4	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software)) same (front-end or f(front adj end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:21

EAST Search History

S50	2	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software)) same (front-end or (front adj end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:22
S51	2	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software)) same (front-end or (front adj end) or back-end)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:22
S52	2	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software)) same (front-end or (front adj end) or frontend back-end or backend (back adj end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 16:23
S53	12	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software))and (front-end or (front adj end) or frontend back-end or backend (back adj end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:37
S54	3	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with (decoupl\$3 or de-coupl\$3) same (application or service or program or software))and (front-end or (front adj end) or frontend back-end or backend (back adj end)) and (UDDI)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:55
S55	6	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with ((UDDI)) same (application or service or program or software))and (front-end or (front adj end) or frontend back-end or backend (back adj end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:56

EAST Search History

S56	0	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with ((UDDI) with ((business or vendor) adj4 integrat\$)) same (application or service or program or software))and (front-end or (front adj end) or frontend back-end or backend (back adj end))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:57
S57	0	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) with ((UDDI) with ((business or vendor) adj4 integrat\$)) same (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:57
S58	0	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) same ((UDDI) with ((business or vendor) adj4 integrat\$)) same (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:58
S59	0	((abstract\$3 or middle) adj1 (layer or tier) or middleware or middle-tier or middleware) same ((UDDI) with ((business or vendor) adj4 integrat\$)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:57
S60	30	((UDDI) with ((business or vendor) adj4 integrat\$)) same (application or service or program or software))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 01:53
S61	1	((UDDI) with ((business or vendor) adj4 integrat\$)) same (application or service or program or software) same context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 00:58
S62	1	((UDDI) with ((business or vendor) adj4 integrat\$)) same (application or service or program or software)) and (context with (identi\$5 or application) with (business or vendor))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/28 03:24